UB RB

ROBUST CHAIN OPERATED ROLLER BLIND SYSTEM

IN-HOUSE MANUFACTURING
Ensures total control, fast lead times, low transport costs and reduced carbon footprint.

DURABLE & FLEXIBLE
Range of sizes and configurations suitable for all situations.

DESIGN OPTIONS
Ultimate interior design co-ordination with an extensive range of hardware and textile options.

ENERGY EFFICIENT
Harvesting daylight and minimising energy consumption.

SUSTAINABLE
Fabrics to gain environmental credentials.

RECYCLEABLE
The majority of Ultrasound Blinds systems can be recycled, conserving energy and resources.

WARRANTY
For peace of mind and reduced life cycle costs, our systems come with a 5 year warranty and unlimited guarantee.

CHILD SAFETY
Choose Ultrasound Blinds with confidence knowing all of our systems are compliant with BS EN 13120.

Ultrasound Blinds Ltd, 29 Forest Business Park, Argall Avenue, London, E10 7FB
Tel. 0208 509 8540 Email. info@ultrasoundblinds.co.uk www.ultrasoundblinds.co.uk

Ultrasound Blinds

SYSTEM SPECIFICATION

BLIND TYPE: ROLLER BLIND
REFERENCE: UB RBS & UB RBM & UB RBL
FUNCTION: INTERNAL SOLAR SHADING
OPERATION: CHAIN
RANGE: ROLLER BLINDS IN ALL SIZES
FITTING: CEILING, WALL, RECESS
WARRANTY: 5 YEARS HARDWARE
MATERIAL: EXTRUDED ALUMINIUM & STEEL

DETAILED INFORMATION & DESIGN FEATURES

SYSTEM SIZES
5 metres max width on single blind system.
Linked brackets allow for coupling of several blinds together to span large glazing areas.

HARDWARE
Extruded aluminium tube shaft in 25mm - 75mm diameter.
Specialist steel, powder coated brackets allow for fixing in any situation with standard and extension brackets.
High-grade Nylon, end sets and covers.
White; RAL 9016, Grey; RAL 9018, Black; 9005, special colours available.
Metal designer bracket options in Chrome, Satin Silver and Champagne.
Stainless steel guide cables up to a max. 15° angle.
Double system with dual fabric combinations; privacy/glare/room darkening.



CONCEALMENT
Fascia: flat aluminium pelmet neatly conceals the hardware and closes the light-gap between the blind and the ceiling in 90mm or 120mm.
Blind Boxes: square or angular cassette box 60mm, 90mm, 120mm fully encloses the blind. Colour co-ordinated hardware in White; RAL 9016, or Black; RAL 9005, custom RAL colours possible.
Ceiling Pockets: the entire blind is recessed into the ceiling during construction for ultimate concealment.

OPERATION
Geared sidewinder with manual chain control in: Nickle plated steel, Silver stainless steel, antimicrobial, brass or nylon control chain in various colours.
Lift assist spring eases lifting for an effortless operation, to make even the largest blind easy to operate. Included as standard on heavier blinds.
Safety chain retainers are installed to comply with BS EN13120 Child Safety legislation.

HEM BAR
Bottom bar options to enhance the look and feel of any surrounding.
Choice of colour co-ordinated exposed architectural bottom bars.
Welded and sealed hem bars create a minimalist look.

FABRIC
Ultrasound Blind fabric ranges.
Designer or technical specified fabric from manufacturers.
Choice of fabric types include Privacy Voile, Sun Protection, Blackout, Screen, Solar Reflective and Antimicrobial for every application.

Ultrasound Blinds

Ultrasound Blinds are manufacturers and installers of high-quality interior shading systems.

Our advanced technology and daily commitment to perfection enables us to develop and manufacture bespoke systems for solar shading. Together with More>Less by Ultrasound Blinds, our systems offer the most convenient operation and high performance possible.



Driven by customer needs, Ultrasound Blinds offers functional and durable products, expert technical advice coupled with installation and support services. Ultrasound Blinds stands for innovative, sustainable, tailor made solutions, exceptional design and superior quality.

Unbeatable Conscious Shading

0208 509 8540
info@ultrasoundblinds.co.uk

Office & Showroom
29 Forest Business Park
Argall Avenue London E10 7FB
www.ultrasoundblinds.co.uk

Ultrasound Blinds